

Notified body No. 1121  
Warrington Certification Limited, Holmesfield Road, Warrington, Cheshire, WA1 2DS, UK

## Certificate of constancy of performance

**1121-CPR- AG5115**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### INOX MB7230 & MB8530 Mortice Deadlocks

See Annex A

Intended use: For use on fire/smoke compartmentation doors

Essential characteristics	Performance	Harmonised technical specification
	Mechanical & Fire Test evidence: WIL 329343 B & 347338	
Self closing 5.4.2 Closing force	NPD	EN 12209: 2003 / AC 2005
5.1.2 Re-latching force of latch bolt	NPD	
Durability of self closing 5.3.1 Durability of latch action	NPD	
Ability to maintain the door in the closed position and not contribute to its spread of fire	Grade 1	
Control of Dangerous substances	If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested: Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)	

## Certificate of constancy of performance

**1121-CPR- AG5115**

Produced for

**UNISON HARDWARE INC.  
6 Wayne Court,  
Sacramento,  
CA 95829 USA**

and produced in the manufacturing plant

**J/019**

**This is coded format and the information is held by the Notified Body.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 12209:2003/AC 2005**

under system 1 of AVCP are applied and that

***the product fulfils all the prescribed requirements set out above.***

This certificate was first issued on **22/10/15** and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.



Paul Duggan  
Certification Manager  
Warrington Certification Ltd



## Annex A

### INOX MB72 Series Deadlocks

Model No.	Description
MB7230	72mm Mortice Deadlock
MB7230 Deadlocks cover 40mm, 45mm, 50mm, 55mm, 60mm backset of all models. All models also include square or radius forend / strikes and can be supplied in the following finishes PC, SC, SN, AB, PB, SB, SSS, PSS, PVD	

### INOX MB85 Series Deadlocks

Model No.	Description
MB8530	85mm Mortice Deadlock
MB8530 Deadlocks cover 40mm, 45mm, 50mm, 55mm, 60mm backset of all models. All models also include square or radius forend / strikes and can be supplied in the following finishes PC, SC, SN, AB, PB, SB, SSS, PSS, PVD	